
Serrure STI-PMR avec voyants indicateurs TSI-PMR lock for toilet door with indicators

CD2555F



Fonctionnement Operation

- Extérieur : action sur le pêne demitour par manoveuvre de la poignée
- Peut être verrouillée, déverrouillée ou mise hors service par l'agent de train par manœuvre du carré de berne
- Intérieur : Verrouillage / déverrouillage (pêne dormant) par bouton, action sur le pêne demi-tour par manoveuvre de la poignée
- Sortie toujours possible (même après verrouillage par l'agent de train)
- Verrouillage impossible si la serrure n'est pas en face de la gâche.
- Outside: action on the latch by operating the handle
- Can be locked, unlocked or placed on the out-of-order position by a train agent by operation of the square
- Inside: Locking / unlocking (bolt) by operation of the knob, action on the latch by operation of the handle
- Exit always possible even when the lock had been locked by the train agent
- Locking impossible if the lock is not towards the strike.

Descriptif

Product description

- Serrure mécanique et gâche à mortaiser
- Encombrement réduit (compatible avec la majorité des installations existantes)
- Serrure pour porte battante va-et-vient
- 3 positions/informations :
- Déverrouillé : voyant libre
- Verrouillé par un utilisateur : voyant occupé
- Verrouillé par un agent : voyant HS
- Préhension du bouton de verrouillage facile
- Mortaise mechanical lock and strike
- Reduced size (compatible with most existing installations)

Lock for swing door back and forthReduced size (compatible with most existing installations)

Lock for swing door back and forth

- · Lock for swing door back and forth
- 3 positions / information:
- Unlocked: free indicator
- Locked by a user: busy indicator
- Locked by an agent: HS indicator
- Easy grip knob lock

Modèle 3D 3D model



- Téléchargez ce produit en 3D sur notre site web...
- Download this product in 3D on our website...

www.deny-security.com

Serrure montée sur les TGV Lock mounted on TGV

